



**PRODUCT EXPERIENCE**  
SLIDING DOOR SYSTEM EXPERTS

**2021**



# ONE HUNDRED PERCENT PASSION AN EXCEPTIONAL HISTORY



OPK was founded in 1996 by Xu Chao, a carpenter, in Chengdu, in the Szechuan province. His first development was a handmade suspended sliding door system – at this time, the first in China.

In the year 2000 OPK moves its headquarters to the Xiaolan Township in Zhongshan City. Since the move, the company has been trading under the name ZHONGSHAN OPK HARDWARE PRODUCT CO., LTD.

Today we manufacture at several locations with over 1,200 employees a comprehensive sliding door fittings portfolio for all applications in the fields of furniture - and building hardware - for wood, glass and aluminium frame solutions, completing the extensive range with shower fittings. OPK is a technology-oriented company that develops, manufactures and distributes their products by themselves. Besides the OPK brand range the company offers a large, customer specified, OEM range. The OPK offering is characterised by its excellent damping and running performance.

Since autumn 2017, Horb am Neckar has been the European headquarters of OPK Europe GmbH, where we focus on sales, research & development for the European market.

OPK EUROPE GMBH

Junghansstraße 16  
D-72160 Horb am Neckar  
Germany

Tel. +49 (0)7451 622 64 0

info@opk-europe.com  
www.opkeurope.com



# OPK MINIROLLER FOR THE SMALL THINGS. WITH A BIG EFFECT.

PERFECT FOR THE LIVING AREA OR  
SHOWCASES: QUICKLY ASSEMBLED, EXTREME-  
LY EASY RUNNING AND MODERN DESIGN.


opk Miniroller is excellent for the use in  
living areas, e.g. display cabinets and shelv-  
ing systems with glass doors up to 15 kg,  
robust aluminium rails hold the glass fronts  
either all-round or horizontally and do not  
only provide a beautiful design but also a  
long service life.

The guide rails are tool-free, quickly mount-  
ed by gluing or stapling meaning installa-  
tion without drilling is therefore possible.

- inside
- one/two doors
- glas
- no
- ≤ 1,200
- ≤ 1,200
- 15



HIGH QUALITY SYNTHETIC ROLLER  
FOR QUIET RUNNING



EASY ASSEMBLY  
by gluing or clamping the  
guide rail

MODERN DESIGN  
circumferential or only horizontal  
framed in shapely aluminium  
frames EV1





# OPK SPEEDBOAT

## THE FAST RUNNER FOR THE SIDEBOARD AND WALL MOUNTED CUPBOARD.

COMFORTABLE DAMPING LOOKS GOOD & IS QUICK FITTING THANKS TO CLIP SYSTEM AND LASTS A LIFETIME.

The opk Speedboat impresses with its elegant design, high-quality runner, as well as its simple and quick installation.

Due to the variety of the running rails, the opk Speedboat can be used in many different applications.



inside



one/two doors wood/glas



both sides



530 - 1,000



≤ 1,400



≤ 20

SIMPLY MOUNTED  
Anodised aluminium glass holder  
with clip mounting & safety catch

VERSATILE IN USE  
large selection of different designs  
of running and guide rails

COMFORTABLE  
DAMPING

HIGH QUALITY, PLAIN BEARING  
DOUBLE ROLLERS  
for quiet running

SIMPLE CLIP TECHNIQUE  
Simply mount the drive with clip technology,  
comfortable height adjustment and integrated  
adjustment lock



# OPK SUBMARINE ALWAYS MAKES A GOOD FIGURE: THE ALL-ROUNDER AT THE FRONT OR INFRONT OF THE CARCASS.

SO FLEXIBLE, IT FINDS ITS PLACE  
EVERYWHERE








opk Submarine impresses with its versatile rail system, which is suitable for almost every application. Invisible, but with great effect: the self-closing soft closure as standard makes opk Submarine perfect for use in the office or living area.

The system is quickly mounted tool-free thanks to patented clip system and the decorative fascia ensures that even the smallest installation widths have an enclosed overall picture.

opk Submarine is a front or infront solution in various design variants, which can also be easily mounted later on.

INSIDE OR OUTSIDE  
can be used in and in front of the furniture, easy  
subsequent assembly possible

FOR SMALLEST INSTALLATION WIDTHS  
for door thicknesses from 15 to 30 mm

-  mixside
-  one door
-  wood
-  both sides
-  ≤ 1,200
-  ≤ 1,500
-  15/30

COMFORTABLE  
DAMPING WITH  
OPTIONAL STOPPER

BALL BEARING MOUNTED ROLLERS  
WITH ECCENTRIC HEIGHT ADJUSTMENT  
for recessing or screwing on

QUIET AS STANDARD  
Double-sided, invisible and self-closing  
damping for minimum installation width



# OPK FLAGSHIP

## MAXIMUM LOAD CAPACITY. MAXIMUM SAFETY.

ANTI-JUMP FUNCTION WITH  
INTEGRATED DAMPING, FOR USE  
WHERE HIGH ENDURANCE IS REQUIRED.

opk Flagship is perfect for office and cabinet systems, which have a require frequent access. The one-piece, high-quality carriage with integrated damping ensures smooth and quiet running and a high life-time at high stress.

The Infront system is fast and tool-free mounted: Guide profile and running profile can be fixed simply by gluing.

The subsequent installation without drilling is therefore possible without any problems. Better safe than sorry - The drive with anti-jump function and safety catch ensures maximum safety.



inside



one/two doors



Holz



both sides




≤ 2.600



≤ 1.500



50



ANTI-JUMP FUNCTION PLUS  
INTEGRATED DAMPING

SIMPLY MOUNTED  
guide and runner profiles can be easily  
fixed by gluing, comfortable height adjustment  
of the fronts



COMPLETE SOLUTION  
handle strip matching the running rails,  
aluminium EV1



SYNTHETIC ROLLERS WITH BALL BEARINGS  
for extremely smooth and quiet running



OPTIONAL STOPPER  
for maximum safety



# OPK SAILING








## THE EXPERT FOR SAVING SPACE SOLUTIONS

ENABLES COMPLETE OPENING OF THE CUPBOARD IN VARIOUS CONSTRUCTION VARIANTS.

opk Sailing is used where space is limited. Due to its flexible application possibilities there are hardly any limits in the construction options.

The newly developed mounting rail of the guide rod enables a simplified assembly and exact adjustment of the cupboard doors.

The guide rod can be concealed above or below the top shelf.


-  foldside
-  endless
-  wood
-  one side
-  ≤ 2,400
-  300 - 400
-  12 KG

COMPLETE SET  
Delivery as complete set  
incl. drilling template

ALMOST INFINITE CONSTRUCTION  
POSSIBILITIES  
the number of doors is only determined  
by the limited available space

EVERYTHING AT A GLANCE  
100 percent cabinet opening

ERGONOMIC OPENING EXPERIENCE  
AND COMFORTABLE  
DAMPING IN THE HINGES












# OPK OCEAN BEATS THEM ALL.

REVERED BY CARPENTERS AND JOINERS  
DUE TO ITS GREAT VARIABILITY  
AND ITS HIGH-QUALITY FINISH

opk Ocean offers all the properties that your customers demand from a cabinet system with sliding doors: a load capacity of up to 80 kg per door, cabinet heights up to 2.80 m and door widths of 4 x 1.50 m are no problem. Due to the adjustability of the door widths, only one article number is required.

The system is tool-free "with a click" safely and easily mounted and captivates through its modern design.

The robust aluminium rails and the self-cleaning rollers provide a almost maintenance-free and long-lasting operation.

-  mixside
-  2/3 doors
-  wood
-  both sides
-  ≤ 2,800
-  ≤ 1,500
-  80

HERE EVERYTHING STAYS IN ITS PLACE  
Due to the comfortable centre door damper  
the middle doors are also comfortably  
damped in both directions.

NOT ONLY LOOKS GOOD  
but also protects against dust: the anodised  
aluminium cover

HERE EVERYTHING  
STAYS AT HIS PLACE  
thanks to anti-jump-  
function and two-way  
damping with  
fixation

DOUBLE-SIDED CUSHIONING  
WITH FIXATION

DOUBLE BALL BEARING MOUNTED  
ROLLERS WITH CLEANING BRUSHES  
provide an almost maintenance-free  
run

SIMPLE CLICK ASSEMBLY  
running safely and easily with clip  
technology mount, for up to 4-door  
constructions

MATCHING HANDLES  
optionally available





# OPK CRUISER

## OPENS COMPLETELY NEW ROOM CONCEPTS

PERFECT FOR AROUND THE HOME:  
QUICKLY ASSEMBLED, EXTREME EASY  
RUNNING AND MODERN DESIGN.

opk Cruiser is a partition system with double runner rails for ceiling mounting, with which a versatile space utilisation concept can be created.

An anti-jump function and the two-way-damper with fixation for the middle door provide a safe and comfortable handling.

The installation is, thanks to comfortable height adjustment of the fronts +10 mm and automatic positioning of the stopper, simple and fast.



inside



1 to 3  
doors



wood/glass/  
aluminium frame



both sides



≤ 2,800



≤ 1,500



50

INNOVATIVE DAMPING SYSTEM  
Fixation of the middle doors optional

DESIGN VARIANTS  
available in silver EV1  
and titanium look

SAFE & COMFORTABLE  
with adjustable opening and  
closing force

CARRIAGE WITH BALL BEARINGS  
SYNTHETIC ROLLS  
provide for an extremely light and  
quiet running

ADJUSTABLE ACTIVATOR  
for a smooth end stop



# OPK SPACESHIP







## ONE SYSTEM. ALMOST INFINITE APPLICATIONS

MAXIMUM FLEXIBILITY DURING INSTALLATION, INNOVATIVE TECHNOLOGY FOR THE OPERATION.

opk Spaceship can be installed in front of the wall, mounted in the wall or under the ceiling. The running track is only 33 mm wide and can be supplied as a pure aluminium rail or can be ordered with cover and is available with an integrated wall spacer profile in 3 distances available to adjust the distance to the existing skirting board or door frame.

The system is available as a complete kit, the installation is easy and fast thanks to the integrated height adjustment

The moving parts are protected by a self-cleaning construction against dirt ingress.

-  80
-  one door
-  wood/glas
-  both sides
-  ≤ 2.600
-  ≥ 580

FITS ALWAYS  
frame or skirting board - for any wall distance  
the right profile

FOR MINIMUM DOOR WIDTHS  
already damped from 580 mm on  
both sides

SKIRTING BOARD OR FRAME  
for each wall distance the  
right profile

INNOVATIVE  
TWO-WAY DAMPING

BALL BEARING MOUNTED ROLLER  
for optimum, quiet operation  
with integrated cleaning brush

BALL BEARING FLOOR GUIDE  
for comfortable operation without  
vibrations



# OPK SPACESHIP POCKET STEEL BOX OR WOODEN STAND: ALWAYS THE RIGHT SOLUTION.

SIMPLY INNOVATIVE:  
SMALL SIZE. MAXIMUM  
RESULTS.

opk Spaceship Steelbox is a simple to install system, taking only 30 minutes to set up. During the assembly phase, the kit can be directly adapted to the final size of the sliding door. With one product up to six standard sizes can be installed.

Our carpenter solution opk Spaceship Pocket can be attached to your self-made stud frame. The mounting rail must be set before cladding and all other components, from the track, the damping unit up to towards the door itself, can be retrofitted and are always accessible: The system is already available from 580 mm on both sides damped.

ONE BUILDING BOX,  
MANY DIMENSIONS  
for door width from  
610 - 860 or 985 mm



PRE-ASSEMBLED ANCHOR PLATES  
for the revision of the railways



CONTACTLESS OPENING  
Through integrable E-Space system  
(see next page)



REMOVABLE RUNNING RAIL  
IN INSTALLED CONDITION  
thus no inspection flap  
required



ADJUSTABLE  
SPACER PROFILE  
enables exact adjustment  
during assembly



# OPK E-SPACE







## THE INNOVATIVE ONE: CONTACTLESS, BARRI- ER-FREE AND SAFE.


CONTACTLESS IT OPENS COMPLETELY  
NEW PERSPECTIVES IN MATTERS  
SPATIAL DESIGN AND USE.

opk E-Space is an innovative magnetic drive for sliding doors. As standard the doors can be controlled via app (iOS and Android) or touch. The App can adapt the door control to the individual needs of the users. In this way, barrier-free access with the highest comfort is created.

opk E-Space is designed for doors with a weight up to 100 kg. The operation can be as a single or synchro system.

The installation is simple and quick. The fine adjustment can be made by an integrated height adjustment.

-  100
-  two doors
-  wood/glas
-  both sides
-  3,000
-  ≥ 730



HIGH-QUALITY  
MAGNETIC DRIVE  
LATEST GENERATION

HIGH-QUALITY MAGNETIC DRIVE  
THE LATEST GENERATION  
In the event of a power failure, doors can be easily moved and through the low energy operation there is no danger of crushing

PLUG AND PLAY  
delivered ready to plug in and very easy to Start

SAFE IS SAFE  
Guaranteed safety by TÜV and SGS certification







agic Power, Super Silent

PERFECT FOR  
HIGH VALUE  
INTERIOR EXPANSION,  
BARRIER-FREE  
LIVING OR  
IN COMMERCIAL  
AREA

**OPK E-SPACE**  
CONVEINIENT,  
HYGIENIC & SAFE.



### 100 % HYGIENIC DUE TO CONTACTLESS SENSOR SWITCH

CleanSwitch was specially developed for the use in buildings with strict hygiene requirements such as in health care facilities, sanitary areas or in the gastronomy.

With a conscious gesture CleanSwitch activates access without contact and otherwise holds the door closed.

CleanSwitch is compatible with all standard flush boxes and can be mounted particularly quick and easy. The design can be adapted to various custom-wishes.



### ACTIVATION AND PROTECTION BY MEANS OF ACTIVE INFRARED

To open automatic doors here comes the proven radar technology.

**PrimeMotion B** opens doors and saves energy. The radar technology based on activation sensor opens sliding doors reliable and prevents unnecessarily long open times due to direction detection.



### E-SPACE: THE SMART SOLUTION FOR YOUR HOME. CONTROLLABLE VIA APP.

As standard, the doors can be controlled via app (iOS and Android) or touch control and can be integrated in Smart Home applications.

With the app, the door control can be adapted to the individual needs of the users. This is how a barrier-free access is created with maximum comfort.



# OPK NAVIGATOR TOO BEAUTIFUL, TO BE HIDDEN.

MAKES EVERY DOOR A  
DESIGNER PIECE.

opk Navigator is a system for the construction area. With its various design solutions the Navigator model is in the current trend for striking and visible (sliding) fittings.

The system is mounted simple and fast on the door.

Thanks to the integrated damped end stopper with safety catch and the ball bearing floor guide the running is not only silent but also safe.

- frontside
- one door
- wood
- both sides
- no limitation
- ≥ 600
- 80

SAFE IS SAFE  
damped end stopper and  
integrated safety catch

DIFFERENT  
DESIGN VARIANTS  
there is something for  
every taste

COMFORTABLE  
DOUBLE-SIDED DAMPING

BALL BEARING FLOOR GUIDE  
comfortable operation without vibrations

DIFFERENT DESIGN VARIANTS  
there is something for every taste



The background features several thick, curved green lines that sweep across the page from the top left towards the bottom right. A large, solid green area occupies the bottom left corner, partially overlapping the 'opk' logo.

OPK EUROPE GMBH  
Junghansstraße 16  
D-72160 Horb am Neckar  
Germany  
Tel. +49 (0)7451 622 64 0  
[info@opk-europe.com](mailto:info@opk-europe.com)  
[www.opkeurope.com](http://www.opkeurope.com)

opk<sup>®</sup>